

L Number	Hits	Search Text	DB	Time stamp
1	1004	rotor and (magnet same resin\$4)	USPAT	2003/11/18 18:18
2	14	(rotor and (magnet same resin\$4)) and (eject\$3 same pin)	USPAT	2003/11/18 18:19
3	969	29/606.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:19
4	17	29/606.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:19
5	11	29/604.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
6	8	310/46.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
7	27	310/152.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
8	1	310/154.03.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
9	2	310/154.11.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
10	5	310/154.21.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
11	2	310/154.29.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
12	9	310/154.05.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
13	0	310/154.38.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
14	0	310/154.82.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
15	87	29/596.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:20
16	70	29/598.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:21
17	0	29/254.ccls. and (resin\$4 same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/18 18:21
-	1391	29/596.ccls. and (position\$3 or secur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 14:45

-	848	(29/596.ccls. and (position\$3 or secur\$3)) and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 14:35
-	528	((29/596.ccls. and (position\$3 or secur\$3)) and core) and magnet\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 14:44
-	332	((29/596.ccls. and (position\$3 or secur\$3)) and core) and magnet\$3) and rotor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 14:44
-	478	29/596.ccls. and (position\$3 or secur\$3) and magnet\$3 and rotor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 15:16
-	116	29/596.ccls. and ((rib or protrusion) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 15:42
-	212	29/598.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:24
-	15	(29/598.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))) and eject\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 17:00
-	442	29/596.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 17:17
-	29	(29/596.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))) and eject\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/26 17:18
-	69	29/609.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:30
-	20	29/607.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:32
-	177	29/732.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:36
-	36	(29/732.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))) and rotor and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:34
-	182	310/254.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:44
-	151	(310/254.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))) and outer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:37
-	93	((310/254.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4))) and outer) and rotor and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:37
-	0	310/154.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4)) and outer and rotor and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:44

-	0	310/156.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4)) and outer and rotor and core	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:45
-	0	310/156.ccls. and ((rib or protrusion or pin) same (secure\$3 or position\$3 or align\$4)) and outer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/11/27 14:45
-	124	(rotor or stator) and (resinous same magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/07 15:36